

Viro[®]

PROTECT
YOUR VEHICLE WITH
VAN LOCK

STURDY PULL-RESISTANT OVAL BODY
IN RUST-PROOF STAINLESS STEEL

A close-up view of the oval stainless steel lock mechanism on the van door. The lock is oval-shaped and has the word "Viro" embossed on its top half and "VIA" embossed on its bottom half. It is surrounded by a blue circular graphic that contains the text "STURDY PULL-RESISTANT OVAL BODY" at the top and "IN RUST-PROOF STAINLESS STEEL" at the bottom.

Easy to install using the stainless screws and rivets supplied. Shims included to tolerate and recover any door misalignment.

1

Adhesive drilling template



2

Fixing plates



3

Sturdy tapered stainless steel pin to provide door misalignment tolerance of ± 4 mm



4

Cylinder protected by anti-drill plate and lock protected by weather-proof cap



- Pairs available with same keys (KA) and on request all special executions (master keys, sample keys, etc.).
- Anti-drill plate for plug protection.
- 7 pins plug (can be replaceable) with Viro Top Security profile key.
- Key with easy-to-handle grip even when wearing gloves.
- Practical emergency opening from the inside if anyone is accidentally locked inside.



Unlike other padlocks used on vans, "**VAN LOCK**":

- **Is secured to the door so you don't have to remove it and put it back all the time.**
- Does not rattle against the bodywork when the van is moving.
- Does not rust even when exposed to severe weather conditions.
- **Closes automatically with a simple push without using the key.**



SUITABLE FOR VEHICLES WITH DOUBLE REAR DOORS AND SLIDING SIDE DOORS



“VAN LOCK” IS AN **ITALIAN** PRODUCT
IDEAL FOR SECURING THE CONTENTS OF:
LORRIES
TRUCKS
VANS


VEHICLES FITTED WITH MOBILE WORKSHOPS
COMMERCIAL VEHICLES WITH SPECIAL SET-UP AND EQUIPMENT



Watch the
 “VAN LOCK” video

Couriers can load and unload goods faster and more safely

Installers and **tradespersons** can protect their work tools



“Van Lock” merchandiser


Body: one-piece, electropolished stainless steel, oval shape without edges.

Plug: 7 pin brass plug, with case-hardened, tempered, copper, nickel- and chrome-plated steel burglar-resistant anti-drill plate.

Keys: nickel-plated brass with easy-to-handle grip (even when wearing gloves) with Viro Top Security profile (3 keys supplied).

Mechanism:

- spring-loaded lock-bolt with lever mechanism in case-hardened, tempered and galvanized steel.
- locking occurs automatically (without using the key) when one door is pushed against the other or the sliding side door is closed;
- key can only be removed when “Van Lock” is closed;
- “Van Lock” can be kept “permanently open” with the key inserted and fully rotated;
- emergency opening from the inside (practically impossible to grip from the outside with burglary tools) if anyone is accidentally locked inside.

	ITEM No.	Unit weight
“Van Lock”	4222	1980
KA “Van Lock” pair	4222/4222	3640
KA “Van Lock” tris	4222/4222/4222	5940
Merchandiser with 1 “Van Lock” applied	4222.0601	7800

Viro S.p.A.

VIA GARIBALDI 4 - 40069 ZOLA PREDOSA (BO) ITALY TEL. +39.051.6176511 - FAX. +39.051.755079

www.viro.it viro@viro.it